



SMART PROTECTION AGAINST WATER DAMAGE



THE ULTIMATE LEAK DEFENCE TECHNOLOGY



SMARTER PLUMBING STARTS HERE.

3 LEVELS OF PROTECTION



Can detect even the **smallest microleaks**



Know about a **burst pipe almost instantly**



Avoid hidden floods with smart flood sensors in service areas

- Activ Leak Sense protects properties from unexpected water damage.
- State-of-the-art ultrasonic leak detection system designed to safeguard commercial and residential environments.
- Can detect the smallest microleaks and alert you via the app.
- Automatically shuts off the water supply when a burst pipe is detected.
- Remote Wireless Flood Sensors for monitoring high-risk areas.



THE **ULTIMATE** LEAK DEFENCE TECHNOLOGY

Protect properties from unexpected water damage with Activ Leak Sense

Using advanced ultrasonic sensing technology, Activ Leak Sense continuously monitors water flow, detecting leaks with precision before they become a serious problem. Whether it's a slow, hidden drip or a sudden burst pipe, the system responds intelligently to prevent flooding and minimise damage.


FEATURES

- Remote ON/OFF water isolation
- Mains powered with battery backup
- Audible alarm
- Manual override
- Connect up to 8 remote flood sensors that can be placed in high risk areas
- WRAS Approved



APP INTERFACE

- Live Flow Rate Data
- Frost Protection Warning
- Water Usage Calculator
- Live Pressure Data
- Live Water Temperature
- Programmable Parameters
- iOS & Android Compatible
- Live data feedback - Monitoring flow, pressure and temperature
- Flood sensor identification



**SEE HOW
IT WORKS**



PRODUCT RANGE

Activ Leak Sense Leak Prevention Device

ALS01

Activ Leak Sense Flood Sensor X1

ALFS01

TECHNICAL SPECIFICATION

Maximum Operating Pressure:	8 Bar
Inlet Temperature Range:	4 - 45°C
Ambient Temperature Range :	-10°C - 50°C
Maximum Flow Rate:	3600L/H
Protection Class:	IPX4
Power Supply:	230v Plug Transformer - 12v
Battery Backup:	4 x AA Battery
WiFi Connectivity:	2.4GHz
Minimum Flow Detection:	0.033 l/min
Flow Parameter Range:	2 - 990 Litres



Compatible with
Smart Life App



GET IT ON
Google Play



Download on the
App Store



Activ

LEAK SENSE

LEAK DEFENCE TECHNOLOGY



Activ^{by}inta



Compatible with
Smart Life App